


CUTTERS



LISTON

36-5101	14.0cm	Straight
36-5102	17.0cm	Straight
36-5103	19.0cm	Straight
36-5104	22.0cm	Straight
36-5111	14.0cm	Curved
36-5112	17.0cm	Curved
36-5113	19.0cm	Curved
36-5114	22.0cm	Curved




CLEVELAND

36-5401	15.0cm
36-5402	17.0cm




BOHLER
15.0cm

36-5501	Straight
36-5511	Curved



MC INDOE

36-5600 17.5cm



RUSKIN-LISTON

18.5cm


36-5701 Straight

36-5711 Curved




RUSKIN-ROWLAND

17.0cm




36-5801 Straight

36-5811 Angled to side



36-5901	23.0cm	Straight
36-5902	27.0cm	Straight
36-5911	23.0cm	Curved
36-5912	27.0cm	Curved

STILLE-LISTON



STILLE-LISTON

36-6000 27.0cm



LISTON-KEY

036-6100 27.0cm



SEMB

036-6200 24.0cm



37-4901 18.0cm

For soft wire up to 2.0mm
For hard wire up to 1.7mm



1/1


37-4902 22.0cm

For soft wire up to 3.0mm
For hard wire up to 2.5mm



37-5000 18.0cm

For hard wire up to 1.7mm



Side & End Cutting



37-5100 14.0cm

For hard wire up to 0.6mm



37-5200 12.5cm

For hard wire up to 0.6mm




37-5301 16.0cm

For hard wire up to 1.6mm




37-5302 18.0cm

For hard wire up to 1.6mm



37-5401 18.5cm



37-5402 21.5cm



HERCULES

37-5410 47.0cm
37-5420 54.0cm



37-4903 22.5cm



37-4904 23.5cm



Sauerbruch

39-0381 24cm
39-0382 27cm



Giertz Stille

39-0300 27cm



Rib

39-0370 23cm



Gluck

39-0373 19cm



Bethune

39-0378 34cm



37-5352 22cm



37-5349 17cm



37-5362 24cm



Brunner
39-0392 34cm



37-5120 14.5cm



37-5350 14.5cm



12.5cm, Fine Point, Straight

SC-01T



15cm, Angled, 15°

SC-02T



12.5cm, Angled, 15°

SC-03T



12.5cm, Straight

SC-06T



12cm, Straight

SC-11T



12cm, Angled, 5°

SC-13T



12cm, Fine Point, Straight

SC-205T



12cm, Fine Point, Angled 5°

SC-212T



11.2cm, Angled, 15°

SC-213T



12cm, Full Face, Straight

SC-214T



14cm, Long, Straight

SC-225T



14cm, Outside, Angled, 50°

SC-231T



14cm, Inside, Angled, 50°

SC-232T



13.4cm, Angled, 28°

LP-02T



12.5cm, Full Face, Angled, 5°

SC-240T



14cm, Wire to hold

LP-03T



12.5cm, Round

SC-15T




14cm, Long Handle

SC-15TLH



15cm, Regular

SC-19T



15cm, Angled 10°

SC-189T



13.6cm, Square Tip

SC-189TW



12.5cm, Flat

SC-215T



13.6cm, Regular

SC-230T



14cm, Strip to hold

SC-252T